

REPORT DOCUMENTATION PAGE

*Form Approved
OMB No. 0704-0188*

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE 10 June 1997	3. REPORT TYPE AND DATES COVERED Summary 01 Jun 96 - 31 May 97
----------------------------------	--------------------------------	---

4. TITLE AND SUBTITLE

GEOMETRICAL ASPECTS OF SCATTERING AND PHYSICAL EFFECTS OF SOUND

5. FUNDING NUMBERS

PE 61153N
G N0001492J1600

6. AUTHOR(S)

Philip L. Marston

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

DEPARTMENT OF PHYSICS
WASHINGTON STATE UNIVERSITY
PULLMAN, WA 99164-2814

8. PERFORMING ORGANIZATION REPORT NUMBER

N00014-92-J-1600-AR4

9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)

OFFICE OF NAVAL RESEARCH
ONR 331
800 NORTH QUINCY STREET
ARLINGTON, VA 22217-5660

10. SPONSORING / MONITORING AGENCY REPORT NUMBER

11. SUPPLEMENTARY NOTES

Research proposed in "Geometrical Aspects of Scattering and Physical Effects of Sound," P. L. Marston, principal investigator. Telephone (509) 335-5343. Email: marston@wsu.edu.

12a. DISTRIBUTION / AVAILABILITY STATEMENT

Approved for public release:
Distribution unlimited

Y000 QUALITY INSPECTED 3

12b. DISTRIBUTION CODE

13. ABSTRACT (Maximum 200 words)

Research is reported in the following areas: [1] High-frequency enhancements of the scattering of sound by tilted elastic cylinders in water are analyzed and observed. (A novel formulation approximates meridional as well as helical wave amplitudes. Both the formulation and the experiments concern solid cylinders as well as shells.) [2] The interaction of sound with sound mediated by dilute aqueous suspensions was studied using the frequency shift of a resonator. [3] The coupling of oscillating magnetic fields to the quadrupole quasi-flexural and torsional modes of a stainless steel spherical shell in water is investigated. (Sound radiated by these magnetically excited modes is detected and resonances are identified.) [4] As an extension of the experimental methods developed for item (1), a PVDF sheet source was used to excite elastic responses of a target but now the target is a large spherical shell in a lake. (Acoustic tone bursts and impulses are generated and used outside the laboratory and resonances are identified.) [5] Transmitted ray contributions and a caustic merging transition for penetrable tilted cylinders are studied using an optical analogy. (The results suggest possible enhancements in the scattering of sound by plastic cylinders.)

14. SUBJECT TERMS

Acoustical Scattering, Ray Methods, Elastic Shells, Plates, Particle Suspensions, Nonlinear Acoustics, Rayleigh Waves

15. NUMBER OF PAGES
14

16. PRICE CODE

17. SECURITY CLASSIFICATION OF REPORT

UNCLASSIFIED

18. SECURITY CLASSIFICATION OF THIS PAGE

UNCLASSIFIED

19. SECURITY CLASSIFICATION OF ABSTRACT

UNCLASSIFIED

20. LIMITATION OF ABSTRACT

GEOMETRICAL ASPECTS OF SCATTERING AND PHYSICAL EFFECTS OF SOUND

Philip L. Marston
Department of Physics
Washington State University
Pullman, Washington 99164-2814

June 1997

Annual Summary Report for Grant N00014-92-J-1600

1 June 1996 - 31 May 1997

Approved for public release: Distribution Unlimited.

Prepared for: **Office of Naval Research**
ONR 331
800 North Quincy Street
Arlington, VA 22217-5660

TABLE OF CONTENTS

I.	Transient and High-Frequency Enhancements in Scattering from Elastic Objects: Project Description, Approaches, and Accomplishments	3
II.	Interaction of Sound with Sound Mediated by a Suspension of Particles: Project Description, Approaches, and Accomplishments	4
III.	Electromagnetic Excitation of Elastic Modes of a Shell: Project Description, Approaches, and Accomplishments	5
IV.	Resonance and Impulse Excitation of a Large Spherical Shell in Lake Union Using a PVDF Sheet Source: Project Description, Approaches, and Accomplishments	5
V.	Transmitted Ray Scattering by Penetrable Tilted Cylinders and the Caustic Merging Transition: Project Description, Approaches, and Accomplishments	6
VI.	Publications, Patents, Presentations, and Honors Report	8
VII.	Appendix A:	10

19970827 118

The project description, approaches, and summary of accomplishments are grouped according to Projects I, II, III, IV, and V.

I. A. Project Description: Transient and High-Frequency Enhancements in Scattering from Elastic Objects -- The objective is to identify and model physical processes that are likely to be important for the classification of scatterers in water based on high frequency scattering signatures and acoustical images. When possible, quantitative ray approximations are formulated to predict scattering amplitudes and experiments are used to test the approximations. The task emphasis this year has been on scattering by tilted truncated elastic cylinders.

B. Approach: (i) *Theoretical*: During this past year, Marston developed and numerically tested a novel ray formulation for approximating large leaky wave contributions to high frequency scattering by smooth objects that may have truncations. The analytical approach was to approximate a leaky wave "point spread function" for the contribution of each illuminated surface patch to the leaky wavefield on the object. Comparisons with previous special cases were checked and truncated and infinite tilted cylinders were considered. (ii) *Experimental*: Backscattering was measured as a function of tilt angle for cylindrical shells (S. Morse) and a solid stainless steel cylinder (K. Gipson). Some of the experiments were done with the sheet PVDF source configured as shown in the 1996 Annual Summary Report. (iii) *Computational*: With assistance from G. Kaduchak (UT:ARL), Morse has been applying an approximate computational model applicable to thick finite tilted cylinders.

C. Accomplishments:

- *Theory*: Marston's model was tested for canonical geometries and was shown to recover previous results such as from a helical ray model for scattering due to compressional leaky waves on thin cylindrical shells developed by Norris and Rebinsky (JASA 1994). It was also applied to a cylinder with a partial coating and used to clarify the relevant coupling regions [P. L. Marston, "Spatial approximation of leaky wave surface amplitudes for three-dimensional high-frequency scattering: Fresnel patches and application to edge-excited and regular helical waves on cylinders," JASA (accepted for publication)]. That work also generalizes approximations of background-induced phase shifts for thick shells verified for spheres in: S. G. Kargl and P. L. Marston, "Background contributions and coupling coefficients for backscattering by thick shells," JASA 101, 3792-3797 (1997). Scattering contributions by meridional rays on tilted cylinders were also approximated. For the case

of Rayleigh waves on an infinite solid cylinder, the result was tested by comparison with exact partial wave series results for a tilted cylinder [see Appendix I and P. L. Marston, "Approximate meridional leaky ray amplitudes for tilted cylinders: end-backscattering enhancements and comparisons with exact theory for infinite solid cylinders," JASA (accepted for publication)]. When applied to the case of the backscattering contributions by meridional rays on truncated cylinders, farfield magnitudes of end contributions are typically larger than for reflection off a rigid sphere having the same radius as the cylinder and much greater than predicted by GTD for a rigid finite cylinder. The results at least qualitatively explain properties of acoustical images reported by G. Kaduchak et al., JASA 100, 64-71 (1996)].

- *Experiments:* Morse obtained high resolution measurements of the spectrum backscattered by two different finite cylindrical shells for an incident pressure impulse. These were measured as a function of tilt angle and the frequency-angle loci for helical and meridional ray backscattering enhancements were approximated with ray theory and used to identify observed spectral features [S. F. Morse et al., "High frequency backscattering enhancements by thick finite cylindrical shells in water at oblique incidence: experiments, interpretation and calculations," JASA (submitted in 1997)]. Strong enhancements were observed for highly tilted cylinders near the coincidence frequencies of the different shells studied. K. Gipson confirmed the presence of meridional ray backscattering enhancements due to Rayleigh waves on a tilted truncated stainless steel cylinder.
- *Computations:* Comparisons with Morse's measurements of the backscattered spectrum as a function of tilt confirm that an approximate partial wave series approach displays many of the observed backscattering enhancements.

II. A. Project Description: Interaction of Sound with Sound Mediated by a Suspension of Particles -- The objective of this project is to understand the large effects that suspended particles can have on the interaction of sound with sound in water. Since large acoustic signatures are observed even with very small volume fractions ϕ of suspended particles, the interaction may have practical applications for the measurement of ϕ or the particle compressibility. More generally, the interaction process is of a class that has previously been ignored in nonlinear acoustics.

B. Approach: The emphasis of the research during the past year was on the shift in the resonance frequency of an ultrasonic standing wave resonator as a result of the particle migration due to the radiation pressure of the standing wave.

C. Accomplishments:

- Chris Kwiatkowski completed his Ph.D. thesis ("Ultrasonic probes of aqueous particle suspensions: collinear four-wave mixing and resonator detuning") since some of the results for Bragg reflection by induced particle layers in a collinear pump-probe geometry were summarized in a previous report, the detuning effect will be emphasized here. Bragg and detuning effects may be detected even if the volume fraction ϕ is small (e.g. < 0.001). The detuning calculated from adiabatic invariance agrees with the magnitude of the observed shift and also with an approximate model based on a novel application of the transfer matrix method for wave propagation through a layered medium.

III. A. Project Description: Electromagnetic Excitation of Elastic Modes of a Shell -- The objective is to use oscillating magnetic fields to excite specific modes of electrically conducting shells so as to produce easily detectable acoustic radiation in the surrounding fluid. This type of transduction has potential application to mode spectroscopy of fluid loaded shells having no exact mode solutions, to hybrid electromagnetic - acoustic object detection, and to excitation of modes weakly coupled with sound.

B. Approach: The emphasis was on driving the modes of a thick stainless steel spherical shell in water in the absence of a separate magnet to supply a bias field. As previously described [1996 Report and JASA (abstract) 99, 2594 (1996)] even in the absence of a static bias field, an oscillating magnetic field B produces oscillating stresses. Since the stress is proportional to B^2 , the stress oscillates at twice the frequency of the oscillating field. Our previous experiments were on aluminum shells in air.

C. Accomplishments: B. T. Hefner easily excited the quadrupole mode (where the shell oscillates in water between an oblate and a prolate shape) either by driving current though a coil at the frequency of the mode or half the mode frequency, the coil diameter being much larger than that of the shell. The sound radiated was detected by a hydrophone. It was also found that the low-lying high-Q torsional modes of the spherical shell could also be excited and acoustically detected on a shell that had previously been magnetized. This is a significant result since torsional modes are not normally acoustically excited or acoustically detected for spherical shells.

IV. A. Project Description: Resonance and Impulse Excitation of a Large Spherical Shell in Lake Union Using a PVDF Sheet Source -- This project concerns the application of one of the experimental methods used in our scattering

experiments (Project I) to a situation outside the laboratory. The specific project was to assist Kevin L. Williams (UW: Applied Physics Laboratory) in the characterization of a large stainless steel spherical shell (o.d. 59.7 cm, thickness 1.52 cm) that has been used for studying environmental factors in high frequency scattering. (Though no funds were transferred to WSU from APL in support of this project, the project did not require significant resources from grant N00014-92-J-1600.)

B. Approach: APL made available the R. V. Henderson test barge at the edge of Lake Union (Seattle). All transducers and electronic and data acquisition components used were provided by WSU. A large PVDF sheet source was placed adjacent to the submerged shell and hydrophones were positioned to detect backscattering and (in the shadow of the shell) nearfield forward scattering. WSU students (S. F. Morse and B. T. Hefner) recorded the data.

C. Accomplishments:

- The low-lying high-Q resonance features of the shell were easily resolved by driving the PVDF sheet with tone bursts. There was no ringing of the transducer so by carefully tuning the carrier frequency of the burst the ring-up and ring-down of distinct modes in the 1.5 to 5 kHz region were observed and the mode frequencies were found to agree with predictions. These modes were also detected with pressure impulse excitation as were higher frequency scattering mechanisms such as coincidence frequency and leaky Lamb wave responses.

V. A. Project Description: Transmitted Ray Scattering by Penetrable Tilted Cylinders and the Caustic Merging Transition -- Some solid scatterers of interest in physical and underwater acoustics (e.g. many plastics) do not support leaky Rayleigh waves because their shear wave velocity is less than that of water. In such cases the enhancement mechanisms studied in Project I are not applicable, though certain internally transmitted rays become significant. This project investigates a novel class of such rays for a tilted circular cylinder.

B. Approach: Since the ray optics is analogous to the refraction of light by a tilted dielectric circular cylinder, the scattering of light by such a cylinder was investigated.

C. Accomplishments:

- *Theoretical:* The refraction by the tilted cylinder was analyzed leading to the prediction that

the projection of the Descartes (or rainbow) ray on the base of the cylinder varies with the tilt angle γ . At a critical tilt angle (which depends on the refractive index), the resulting farfield Airy caustics are predicted to merge in the meridional plane.

- *Experimental:* C. Mount measured the farfield scattering as a function of the tilt γ for a plastic PMMA fiber and confirmed the existence of the predicted caustic merging transition. There is a large enhancement of the meridional plane scattering at (and near) the predicted critical value of γ .

OFFICE OF NAVAL RESEARCH
PUBLICATIONS/PATENTS/PRESENTATIONS/HONORS REPORT
for
01 June 96 through 31 May 97

8

Contract/Grant Number: N00014-92-J-1600

Contract/Grant Title: Geometrical Aspects of Scattering and Physical Effects of Sound

Principal Investigator: Philip L. Marston

Mailing Address with ZIP+4 if applicable: Physics Department
Washington State University
Pullman, WA 99164-2814

Phone Number: 509-335-5343

Facsimile Number: 509-335-7816

E-mail Address: marston@wsu.edu

- a. Number of papers submitted to refereed journals but not yet published: 3
- b. Number of papers published in refereed journals (ATTACH LIST): 1
- c. Number of books or chapters submitted but not yet published: 1
- d. Number of books or chapters published (ATTACH LIST): 2
- e. Number of printed technical reports & non-refereed papers (ATTACH LIST): 4
- f. Number of patents filed: 0
- g. Number of patents granted (ATTACH LIST): 0
- h. Number of invited presentations at workshops or professional society meetings: 1
- i. Number of contributed presentations at workshops or professional society meetings: 8
- j. Honors/awards/prizes for contract/grant employees, such as scientific society and faculty awards/offices (ATTACH LIST): 0
- k. Number of graduate students supported at least 25% this year this contract/grant: 5
- l. Number of post docs supported at least 25% this year this contract/grant: 0

How many of each are females or minorities? These six numbers are for ONR's EEO/Minority Reports. Minorities include Blacks, Aleuts, Amindians, etc., and those of Hispanic or Asian extraction/nationality. The Asians are singled out to facilitate meeting reporting semantics re "underrepresented".

Graduate student FEMALE: 2

Post doc FEMALE: _____

Graduate student MINORITY: 1

Post doc MINORITY: _____

Graduate student ASIAN E/N: _____

Post doc ASIAN: _____

1996 P³H Report Supplement for Grant N00014-92-J-1600**b. Papers Published in Refereed Journals:**

1. S. G. Kargl and P. L. Marston, "Background contributions and coupling coefficients for backscattering by thick shells," *J. Acoust. Soc. Am.* **101**, 3792-3797 (1997).

c. Printed Technical Reports & Non-refereed Papers:

1. P. L. Marston, "Scattering and radiation of high frequency sound in water by elastic objects, particle suspensions, and curved surfaces," Annual Summary Report for ONR Grant N00014-92-J-1600 (issued June, 1996) DTIC Number A310720.
2. C. S. Kwiatkowski, "Ultrasonic probes of aqueous particle suspensions: collinear four-wave mixing and resonator detuning." Ph.D. thesis (Wash. State Univ., 1997) 230 pages.
3. C. M. Mount and P. L. Marston, "Glare Points in the Refracted-Wave Scattering by Icicles and Other Tilted Dielectric Cylinders and the Caustic-Merging Transition," in *Light and Color in the Open Air*, Vol. 4, 1997 OSA Technical Digest Series pp. 14-16.
4. D. S. Langley and P. L. Marston, "Generalized Tertiary Rainbow of Slightly Oblate Drops: Observations with Laser Illumination," in *Light and Color in the Open Air*, Vol. 4 1997 OSA Technical Digest Series pp. 11-13.

d. Book chapters published:

1. P. L. Marston, "Quantitative Ray Methods for Scattering," in *Encyclopedia of Acoustics*, Vol. 1, M. J. Crocker, editor (John Wiley Press, New York, 1997) Chap. 43, pp. 483-492.
2. P. L. Marston, "Introductory Chapter—Ultrasonics, Quantum Acoustics, and Physical Effects of Sound," in *Encyclopedia of Acoustics*, Vol. 2, M. J. Crocker, editor (John Wiley Press, New York, 1997) Chap. 54, pp. 621-628.

k. Total Number of Graduate Students Supported at Least 25% This Year on This Grant.

Graduate Students: 5

Karen Gipson
Brian T. Hefner
Chris Kwiatkowski
Scot Morse
Catherine M. Mount

Appendix A: Approximate Meridional Leaky Ray Amplitude as a Function of the Cylinder Tilt

This Appendix illustrates one of the results calculated in P. L. Marston, "Approximate meridional leaky ray amplitudes for tilted cylinders: end-backscattering enhancements and comparisons with exact theory for infinite solid cylinders," JASA (accepted for publication). The example in this Appendix is for the infinite cylinder geometry shown in **Figure 1**. This example is important because unlike the actual meridional ray backscattering enhancement for finite cylinders observed with high frequency sonar, the infinite cylinder geometry has an exact solution. **Figure 2** compares the meridional ray contribution (points) with partial wave series computations (solid curve) for a solid stainless steel cylinder. These are shown as a function of the cylinder tilt γ for farfield scattering form functions for an observer in the meridional plane. A rigid background contribution has been subtracted from the partial wave series result to isolate the contribution of interest which is due to a Rayleigh wave which propagates down the cylinder's axis. The coupling is optimized when the tilt angle γ lies close to the Rayleigh wave coupling angle $\theta_l = 30.703^\circ$ evaluated for a flat stainless steel surface in water. Near this tilt angle the dephasing of the excited Rayleigh wave relative to the incident acoustic wave is minimized. The function which is plotted in the dotted curve contains complementary error functions evaluated with real and complex arguments. In the approximation shown, the curvature of the radiated wavefront is taken to be the one calculated for $\gamma = \theta_l$ even for cases when $\gamma \neq \theta_l$. This is because the dominant effect of taking $\gamma \neq \theta_l$ is the effect of dephasing on the amplitude of the excited leaky wave.




Figure 1




Figure 2

DISTRIBUTION LIST
UNDER GRANT N00014-92-J-1600
ANNUAL SUMMARY REPORT

DR LOGAN E HARGROVE ONR 331
OFFICE OF NAVAL RESEARCH

800 NORTH QUINCY STREET
ARLINGTON VA 22217-5660

2 COPIES

DEFENSE TECHNICAL INFORMATION CENTER
8725 JOHN J KINGMAN ROAD
STE 0944
FT BELVOIR VA 22060-6218

2 COPIES

ADMINISTRATIVE GRANTS OFFICER
OFFICE OF NAVAL RESEARCH
RESIDENT REPRESENTATIVE N63374
UNIV OF WASHINGTON UNIV DISTRICT
RM 410 1107 NE 45TH ST
SEATTLE WA 98105-4631

NAVAL POSTGRADUATE SCHOOL
TECHNICAL LIBRARY CODE 0212
MONTEREY CA 93943

DIRECTOR NAVAL RESEARCH LABORATORY
ATTN CODE 2667
4555 OVERLOOK AVENUE SW
WASHINGTON DC 20375-5326

NAVAL SURFACE WARFARE CENTER
COASTAL SYSTEMS DIVISION
TECHNICAL LIBRARY
PANAMA CITY FL 32407-5000

SUPPLEMENTAL DISTRIBUTION TO RESEARCH PARTICIPANTS AND TO
OTHERS COUPLED WITH THE PROGRAM (1 COPY EACH)

G KADUCHAK
APPLIED RESEARCH LABORATORY
ADVANCED SONAR DIVISION
UNIVERSITY OF TEXAS AT AUSTIN
PO BOX 8029
AUSTIN TX 78713-8029

J S STROUD
UNIV OF CINCINNATI COLLEGE OF
MEDICINE
DEPT OF RADIOLOGY
231 BETHESDA AVE E560 MSB
PO BOX 670579
CINCINNATI OH 45267-0579

D H HUGHES
NAVAL RESEARCH LAB CODE 7132
4555 OVERLOOK AVE SW
WASHINGTON DC 20375-5350

H J SIMPSON
NAVAL RESEARCH LAB CODE 7136
4555 OVERLOOK AVE SW
WASHINGTON DC 20375-5350

T J MATULA
APPLIED PHYSICS LABORATORY
UNIVERSITY OF WASHINGTON
SEATTLE WA 98105-6698

K GIPSON
B T HEFNER
C KWIATKOWSKI
S F MORSE
C M MOUNT
D B THIESSEN
DEPARTMENT OF PHYSICS
WASHINGTON STATE UNIVERSITY
PULLMAN WA 99164-2814

T J ASAKI
MS K764
LOS ALAMOS NATIONAL LABORATORY
LOS ALAMOS NM 87545

W PATRICK ARNOTT
ATMOSPHERIC SCIENCES CENTER
DESERT RESEARCH INSTITUTE
P O BOX 60220
RENO NV 89506

OTHER SUPPLEMENTAL DISTRIBUTION (1 COPY EACH)

RAYMOND LIM
NAVAL SURFACE WARFARE
CENTER
COASTAL SYSTEMS DIVISION
PANAMA CITY FL 32407-5000

F M PESTORIUS DIRECTOR
APPLIED RESEARCH
LABORATORIES
UNIVERSITY OF TEXAS AT AUSTIN
AUSTIN TX 78713-8029

ROGER H HACKMAN
LOCKHEED MISSILES & SPACE
ORGN 91-10 B255
PALO ALTO CA 94304-1191

CHAIR
DEPARTMENT OF PHYSICS
CODE PH/AY
NAVAL POSTGRADUATE SCHOOL
MONTEREY CA 94943-5000

K L WILLIAMS
APPLIED PHYSICS LABORATORY
UNIVERSITY OF WASHINGTON
SEATTLE WA 98105-6698

C K FREDERICKSON
PHYSICS DEPARTMENT
UNIV OF CENTRAL ARKANSAS
CONWAY AR 72035

S G KARGL
APPLIED PHYSICS LABORATORY
UNIVERSITY OF WASHINGTON
SEATTLE WA 98105-6698

C E DEAN
PHYSICS DEPT
GEORGIA SOUTHERN UNIVERSITY
LANDRUM BOX 8031
STATESBORO GA 30460

D S LANGLEY
PHYSICS DEPARTMENT
ST. JOHNS UNIVERSITY
COLLEGEVILLE MN 56321

ALLAN D PIERCE
DEPT OF AEROSPACE & MECH ENGR
BOSTON UNIVERSITY
110 CUMMINGTON STREET
BOSTON MA 02215

C M LOEFFLER
APPLIED RESEARCH LABORATORIES
UNIVERSITY OF TEXAS AT AUSTIN
AUSTIN TX 78713-8029

HENRY E BASS
DEPT OF PHYSICS AND ASTRONOMY
UNIVERSITY OF MISSISSIPPI
UNIVERSITY MS 38677

LAWRENCE A CRUM
APPLIED PHYSICS LABORATORY
UNIVERSITY OF WASHINGTON
1013 NE 40TH STREET
SEATTLE WA 98105-6698

YVES H BERTHELOT
SCHOOL OF MECHANICAL
ENGINEERING
GEORGIA INSTITUTE OF TECHNOLOGY
ATLANTA GA 30332

MARK F HAMILTON
DEPT OF MECHANICAL ENGINEERING
UNIVERSITY OF TEXAS AT AUSTIN
AUSTIN TX 78712-1063

WOLFGANG H SACHSE
THEORETICAL AND APPLIED
MECHANICS
CORNELL UNIVERSITY
ITHACA NY 14853-1503

STEVEN R BAKER
NAVAL POSTGRADUATE SCHOOL
DEPARTMENT OF PHYSICS CODE PH/BA
MONTEREY CA 93943-5004

TIMOTHY K STANTON
WOODS HOLE OCEANOGRAPHIC INST
WOODS HOLE MA 02543

CHARLES F. GAUMOND CODE 7132
NAVAL RESEARCH LABORATORY
4555 OVERLOOK AVE SW
WASHINGTON DC 20375-5350

R A ROY
DEPT OF AEROSPACE & MECH ENGR
BOSTON UNIVERSITY
110 CUMMINGTON STREET
BOSTON MA 02215

CHAIR
GRADUATE PROGRAM IN ACOUSTICS
PO BOX 30
STATE COLLEGE PA 16804

J B SCHNEIDER/S L BROCHAT
SCHOOL OF ELEC ENGR & COM SCI
WASHINGTON STATE UNIVERSITY
PULLMAN WA 99164-2752

JOSEPH W DICKEY
DEPT OF MATERIALS SCI AND ENGR
JOHNS HOPKINS UNIVERSITY
BALTIMORE MD 21218

ROBERT E APFEL
DEPT OF MECHANICAL ENGINEERING
YALE UNIVERSITY
NEW HAVEN CT 06520-2159

L B FELSEN
DEPT OF AEROSPACE & MECH ENGR
BOSTON UNIVERSITY
110 CUMMINGTON STREET
BOSTON MA 02215

LOUIS R DRAGONETTE CODE 7132
NAVAL RESEARCH LABORATORY
4555 OVERLOOK AVE SW
WASHINGTON DC 20375-5350

MICHAEL F WERBY
NRL CODE 7181
STENNIS SPACE CENTER
MS 39529

ANDREW N NORRIS
DEPT MECH AND AEROESP ENGR
RUTGERS UNIVERSITY
P O BOX 909
PISCATAWAY NJ 08855-0909

STEVEN GARRETT
GRADUATE PROGRAM IN ACOUSTICS
PO BOX 30
STATE COLLEGE PA 16804

MIKE J ANDERSON
DEPT OF MECH ENGR
UNIVERSITY OF IDAHO
MOSCOW ID 83843

CHRISTOPHER M FORTUNKO
NATIONAL INSTITUTE OF
STANDARDS AND TECHNOLOGY
325 BROADWAY
BOULDER CO 80303